

IN THE CLAIMS

Claim 3 is pending in this application. Please cancel claims 5-8 without prejudice or disclaimer and add new claim 9 as follows:

1. (Canceled)
2. (Withdrawn) An optimization problem solution acquisition method whereby an optimization problem is sent from a requesting system, which requests a solution of an input optimization problem, to a solving system, and a solution of the optimization problem is found in said solving system, sent to said requesting system and output from said requesting system, said optimization problem solution acquisition method comprising the steps of:
 - converting, in said requesting system, said optimization problem into another optimization problem having a different equality $g'(y) = 0$, a different inequality constraint $h'(y) \geq 0$, and a different objective function $f'(y)$ by using a suitably determined variable conversion $y = u(x)$ and equivalent transformation of expressions;
 - sending said converted optimization problem to said solving system;
 - solving, in said solving system, said sent converted optimization problem, and finding a solution y ;
 - sending said found solution y to said requesting system; and
 - conducting, in said requesting system, reverse conversion of the variable $x = u^{-1}(y)$ on said sent solution y , finding a solution x of the original optimization problem, and outputting said solution x from said requesting system.
3. (Withdrawn) An optimization problem solution acquisition method according to claim 2, wherein,
 - if the equality constraint of said optimization problem is represented as $Ax = b$, where A is a coefficient matrix having m rows and n columns, and b is an m -dimensional right hand side vector, then
 - as said variable conversion, linear transformation $y = Q^{-1}x$ using a permutation matrix Q having n rows and n columns is used,

as said equivalent transformation of expressions, processing of multiplying both hand sides of said equality constraint $Ax = b$ by a nonsingular matrix P having m rows and m columns is used, and

as said reverse conversion of the variable, linear transformation $x = Qy$ is used.

4. (Withdrawn) An optimization problem solution acquisition method according to claim 3, wherein

a matrix P_2P_1 is used as said nonsingular matrix P , and

a matrix Q_1Q_2 is used as said permutation matrix,

where P_1 is a left permutation matrix having m rows and m columns for transforming said coefficient matrix A into a bordered block diagonal form, and

Q_1 is a right permutation matrix having n rows and n columns for transforming said coefficient matrix A into the bordered block diagonal form, and

in a block diagonal form P_1AQ_1 obtained by making said P_1 and Q_1 act on said coefficient matrix A ,

P_2 is a matrix for conducting linear transformation only between rows in each diagonal block, and

Q_2 is a matrix for conducting permutation only between columns in each diagonal block.

- 5 - 8. (Canceled)

9. (New) An application service provider (ASP) system for providing a solution of an optimization problem, comprising:

a client computer system that accepts a solving request of an optimization problem from a user, and

a server system that obtains a solution of the optimization problem,
wherein the client computer system executes

(1) receiving an optimization problem represented by an equality constraint $Ax = b$ defined by a coefficient matrix A having m rows and n columns and an m -dimensional right hand side vector b , an inequality constraint $x \geq 0$, and an objective function $f(x)$ to be minimized,

(2) generating a nonsingular matrix P having m rows and m columns and a permutation matrix Q having n rows and n columns with using a ciphering key,

(3) converting said optimization problem into another optimization problem having a different equality constraint $(PAQ)y = Pb$, a different inequality constraint $y \geq 0$, and a different objective function $f(Qy)$, by using said nonsingular matrix P and said permutation matrix Q ,

(4) sending the converted optimization problem to the server system,

(5) receiving a solution y of the converted problem from the server system,

and

(6) reverse converting $x = Qy$ on the solution y by using the matrix Q and thereby finding a solution x of the optimization problem $Ax = b$,

Wherein the server system executes

(1) receiving the converted optimization problem including the equality constraint $(PAQ)y = Pb$, the inequality constraint $y \geq 0$, and the objective function $f(Qy)$,

(2) finding a solution y of the converted problem, and

(3) sending the solution y to the client computer system.